CYNAERA | CHRONIC CONDITION PREVALENCE DIRECTORY

U.S. estimates • Alphabetical website reference

A

85 entries | part 1 of 2

Abnormal Uterine Bleeding | 15 million

Acne vulgaris | 50 million

Acquired epidermolysis bullosa | 27

Acquired hemophilia | 500

Acromegaly | 18,798

Actinic keratosis | 40 million

Acute disseminated encephalomyelitis | 2,000

Acute lichenoid pityriasis | 101,730

Acute Lymphoblastic Leukemia (ALL) | 9,000

Acute Myeloid Leukemia (AML) | 2,000

Addison disease | 128,169–427,230

Addison's Disease (autoimmune, inf. | 25,000

Adenomyosis | 7 million

ADHD (Adults) | 15.50 million

ADHD (Pediatric) | 8.40 million–14 million

Adhesive Capsulitis | 1 million

Adult-onset Still disease | 3,333

Age-related macular degeneration | 16.76 million–24.90 million

Agoraphobia (Adults) | 2.43 million

AIDS wasting syndrome | 205,071–683,570

Alcohol use disorder | 27.90 million

Allergic contact dermatitis | 1.60 million

Allergies (Adults) | 82.31 million

Allergies (Pediatric) | 25.88 million–43.13 million

Alopecia areata | 699,930

Alopecia totalis | 107,661–358,870

Alopecia universalis | 256,338–854,460

Alpha-1 antitrypsin deficiency | 205,071–683,570

Alpha-gal syndrome | 450,000

Alport syndrome | 6,836

Alzheimer disease (Adults) | 6.70 million

Amblyopia (lazy eye) | 2.16 million

Amenorrhea (primary/secondary) | 5 million

Amniotic Fluid Embolism (Chronic Sequelae) | 15,000

Amplified Musculoskeletal Pain Syndrome | 25,000

Anal cancer | 88,564

Anal fissure | 235,000

ANCA-associated vasculitis | 15,332–61,327

Angelman syndrome | 25,634

Angina pectoris | 533,978

Ankylosing Spondylitis (infection-linked) | 500,000

Anophthalmia/microphthalmia | 776

Anorexia nervosa (Adults) | 1.62 million

Anti-glomerular basement membrane disease | 333

Anti-NMDA receptor encephalitis | 222

Antiphospholipid Syndrome | 170,000

Antiphospholipid Syndrome (post-infectious) | 242,857

Antisynthetase syndrome | 9,999–13,332

Anxiety disorders (other) | 30.72 million

Any personality disorder (Adults) | 24.55 million

Aphasia | 2 million

Aplastic Anemia | 40,000

Arterial embolism and thrombosis | 2.86 million

Arthritis | 64.55 million

Asthma | 8 million–10 million

Astigmatism (clinically significant) | 97.65 million

Atopic keratoconjunctivitis | 153,804–512,680

Atrial fibrillation and flutter | 4.60 million

Atrioventricular septal defect | 2,329

Atrophic Vaginitis | 18 million

Autism Spectrum Disorder | 3 million–4 million

Autism spectrum disorder (Pediatric) | 2 million

Autism, Post-Infectious Subtype | 30,000

Autoimmune angioedema | 3,333

Autoimmune Dysautonomia | 3.50 million–4.50 million

Autoimmune Encephalitis | 50,000

Autoimmune encephalitis (Pediatric) | 4,000

Autoimmune Gastritis (post-H. pylori/viral) | 2.50 million

Autoimmune Hemolytic Anemia (inf. subtype) | 65,000

Autoimmune Hepatitis (infection-triggered) | 130,000

Autoimmune Hypophysitis (inf.-triggered) | 5,000

Autoimmune Inner Ear Disease | 42,857

Autoimmune lymphoproliferative syndrome | 200

Autoimmune neutropenia | 1,667

Autoimmune Oophoritis | 70,000

Autoimmune orchitis | 50

Autoimmune Pancreatitis (inf. subtype) | 7,000

Autoimmune Polyglandular Syndrome | 12,000

Autoimmune Premature Ovarian Failure | 150,000

Autoimmune progesterone dermatitis | 50

Autoimmune Psychosis, Infection-linked | 5,000

Autoimmune retinopathy | 50

Autoimmune Urticaria (post-viral/bacterial) | 200,000

Autoimmune-active psoriatic disease (subset) | 1.50 million

A

85 entries | part 2 of 2

Autosomal dominant polycystic kidney disease |
406,041–1.35 million

B

29 entries

B-cell chronic lymphocytic leukemia | 492,171–1.64 million

Bacterial Vaginosis | 25 million

Balo concentric sclerosis | 50

Barrett's esophagus (Adults) | 13.49 million

Behcet syndrome | 17,332

Behçet’s Disease | 15,000

Benign paroxysmal positional vertigo | 6.60 million

Benign prostatic hyperplasia | 3.85 million

Bicuspid aortic valve | 3.42 million

Binge-Eating Disorder | 2.50 million

Bipolar disorder | 2.84 million

Bladder cancer | 782,430

Blastic plasmacytoid dendritic cell neoplasm | 123,042–410,140

Blepharitis | 28 million

Blindness and low vision | 1.66 million

Body Dysmorphic Disorder | 1.20 million

Bone and joint cancer | 65,261

Borderline personality disorder (Adults) | 3.78 million

Brain and other nervous system cancer | 196,343

Breast Cancer | 4.31 million

Breast Implant Illness (BII, chronic) | 250,000

Breast Lymphedema (post-cancer surgery) | 1.40 million

Brugada syndrome | 205,071–683,570

Bruxism | 41.65 million

Buerger disease | 164,058–546,860

Bulimia Nervosa | 1.20 million

Bullous pemphigoid | 256,338–854,460

Burning Mouth Syndrome | 3.33 million

Bursopathies | 810,358

C

207 entries | part 1 of 3

Cancer excluding skin cancer (Adults) | 20.33 million

Cannabis (marijuana) use disorder | 20.60 million

Carcinoma in situ of skin | 1.49 million

Castleman disease | 1,233–4,433

Catecholaminergic polymorphic ventricular tachycardia | 102,534–341,780

celiac disease (all forms) (Adults) | 3.30 million

Celiac Disease (post-infectious subtype) | 200,000

Central diabetes insipidus (AVP deficiency) | 13,671

Central retinal artery occlusion | 124,068–413,560

Cervical Cancer | 286,560

Cervical disc disorders | 760,451

Cervical Incompetence | 600,000

Cervical Polyps | 2 million

Cervical Stenosis | 400,000

Chagas Disease (chronic) | 400,000

Charcot-Marie-Tooth disease | 85,446

Chiari malformation | 1,000

Chronic Abdominal Adhesions | 10.91 million

Chronic Abdominal Pain (Functional) | 15 million

Chronic Adenovirus Respiratory Syndrome | 1,000

Chronic Adenovirus Urethritis | 1,000

Chronic Adenovirus-Linked Fatigue | 500

Chronic Anal Fissure | 2.55 million

Chronic Anaplasmosis | 11,000

Chronic Anovulation | 7 million

Chronic Arboviral Fatigue (general) | 10,000

Chronic Babesia duncani Syndrome | 700

Chronic Babesiosis | 5,000

Chronic Babesiosis, Neurovariant | 6,000

Chronic Bacterial Meningitis | 1,000

Chronic Bacterial Vaginosis Immune Dysfunction | 10,000

Chronic Bartholin Cyst/Abscess | 150,000

Chronic Bartonella Neuroretinitis | 900

Chronic Bartonellosis | 4.50 million–5 million

Chronic Borna Disease Virus Encephalitis | 100

Chronic Brucella Spondylitis | 5,000

Chronic Brucellosis | 10,000–20,000

Chronic Burkholderia Infection | 700

Chronic Campylobacter Guillain-Barré | 11,000

Chronic Cervical Dysplasia | 1.30 million

Chronic Cervicitis | 2 million

Chronic Chikungunya | 5,000

Chronic Chikungunya Arthritis (CCA) | 400,000–500,000

Chronic Cholecystitis | 2.67 million

Chronic CMV (Cytomegalovirus) | 120,000

Chronic CMV-Induced Sensorineural Hearing Loss | 3,000

Chronic Coxiella Burnetii Vasculitis | 2,000

Chronic Cryptosporidiosis | 3,000

Chronic Cystitis | 16 million

Chronic Cytomegalovirus Fatigue | 120,000

Chronic Dengue Virus (CDV) | 100,000–200,000

Chronic EBV | 600,000

Chronic Ehrlichiosis | 8,000

Chronic Endometritis | 2 million

Chronic Enteroviral Encephalomyelitis | 2,000

Chronic Enteroviral Myalgia | 15,000

Chronic Enterovirus | 30,000

Chronic Epstein-Barr–linked Autoimmunity | 30,000

Chronic Epstein-Barr–linked Cancer | 10,000

Chronic Epstein-Barr–linked Psychiatric Syndrome | 7,000

Chronic Fatigue | 2.57 million

Chronic Fatigue Syndrome (Non-ME/CFS Subtype) | 1.20 million

Chronic Flavivirus Fatigue | 18,000

Chronic Genitourinary Syndrome of Menopause | 30 million

Chronic Giardiasis (post-infectious fatigue) | 2,000

Chronic Graft vs Host (inf. initiated) | 15,000

Chronic Granulomatous Mastitis | 35,000

Chronic H. pylori–associated Gastritis | 25,000

Chronic Hantavirus Cardiopulmonary Syndrome | 1,000

Chronic Headache Disorders | 4 million

Chronic Hematosalpinx | 70,000

Chronic Hemorrhoids | 21.82 million

Chronic Hepatitis B | 1 million

Chronic Hepatitis C | 3.10 million

Chronic Hepatitis E Immune Sequelae | 1,000

Chronic Herpes Zoster Neuralgia | 200,000

Chronic herpesvirus syndromes | 80,000

Chronic HPV infection | 58.33 million

Chronic HPV-Associated Dysautonomia | 15,000

Chronic HSV-1/HSV-2 Syndromes | 80,000

C

207 entries | part 2 of 3

Chronic Human Herpesvirus 6 Syndrome | 19,000

Chronic idiopathic constipation | 27.34 million

Chronic Idiopathic Urticaria | 4.62 million

Chronic ischemic heart disease | 6.79 million

Chronic JC Virus Leukoencephalopathy | 1,000

Chronic JC Virus-Linked Neuropathy | 3,000

Chronic kidney disease (Adults) | 9.66 million

Chronic Lactational Mastitis | 200,000

Chronic Lassa Fever Neuropathy | 200

Chronic Leptospirosis | 6,000

Chronic Listeria Meningitis | 500

Chronic Lymphocytic Meningitis | 6,000

Chronic Malaria-Related Neuropathy | 800

Chronic Mastitis | 300,000

Chronic Meningococcal Fatigue | 2,000

Chronic Menopausal Vasomotor Symptoms | 25 million

Chronic Migraine | 9.33 million

Chronic migraine (Pediatric) | 250,000

Chronic Mumps/Post-Mumps Encephalitis | 2,000

Chronic Mycobacterial Fatigue | 9,000

Chronic Mycoplasma Infections | 10,000

Chronic Mycoplasma pneumoniae Neuropathy | 500,000–700,000

Chronic Nipah Virus Encephalopathy | 400

Chronic Norovirus Enteropathy | 2,000

Chronic norovirus syndrome | 1,000

Chronic obstructive pulmonary disease | 2.54 million

Chronic Oophoritis (recurrent ovarian inflammation) | 150,000

Chronic Ovarian Cyst Pain | 7 million

Chronic pain (Adults) | 51.56 million

Chronic Parainfluenza Bronchiolitis | 2,000

Chronic Parainfluenza Fatigue | 5,000

Chronic Parvovirus B19 Arthritis | 20,000

Chronic Parvovirus B19 Cardiomyopathy | 3,000

Chronic Parvovirus B19 Fatigue | 20,000

Chronic Pelvic Inflammatory Adhesion Disease | 6 million

Chronic Pelvic Inflammatory Disease (PID) | 3 million

Chronic Pelvic Neuralgia | 13.33 million

Chronic Pelvic Pain | 3.33 million

Chronic Perimenopausal Depression | 2 million

Chronic Perineal Pain Syndrome | 10 million

Chronic Peritoneal Endometriosis | 2 million

Chronic Polyarthralgia, Viral-associated | 31,000

Chronic Polyomavirus Fatigue | 5,000

Chronic Post-Chikungunya Neuropathy | 2,000

Chronic Post-COVID Mastalgia | 400,000

Chronic Post-COVID Vasculopathy | 28,000

Chronic Post-infectious Neuropathy | 120,000

Chronic Post-infectious Thyroiditis | 20,000

Chronic Post-Streptococcal Glomerulonephritis | 8,000

Chronic Post-viral Encephalitis | 3,000

Chronic Pyelonephritis | 2 million

Chronic Pyosalpinx | 30,000

Chronic Q Fever | 25,000–30,000

Chronic Rabies Encephalitis (late phase) | 50

Chronic recurrent multifocal osteomyelitis (CRMO) | 333

Chronic Relapsing Fever Borrelia (TBRF) | 3,000

Chronic Rheumatic Heart Disease | 20,000

Chronic Rickettsial Disease | 30,000–40,000

Chronic Rickettsial Vasculitis | 4,000

Chronic Ross River Virus Fatigue | 100

Chronic Rotavirus Fatigue | 900

Chronic Rubella Arthritis (Adults) | 700

Chronic Rubella Syndrome (Adults) | 500

Chronic Salmonella Osteomyelitis | 900

Chronic Salpingitis | 400,000

Chronic Schistosomiasis | 3,000

Chronic Scrub Typhus | 1,000

Chronic Sepsis-Related Immunodeficiency | 8,000

Chronic Sequelae of Viral | 600

Chronic sequelae of viral hemorrhagic fever | 600

Chronic Shigella/Post-Shigellosis IBS | 6,000

Chronic sinusitis | 7.88 million

Chronic Sjögren's, Infection-Linked | 2.80 million

Chronic Spirochete Arthritis | 5,000

Chronic Strep-Related Psychiatric Syndrome | 12,000

Chronic Streptococcal Myositis | 2,000

Chronic Strongyloides Hyperinfection | 2,000

Chronic Strongyloidiasis | 1,000

Chronic Telogen Effluvium (hair loss) | 1.80 million

Chronic Tension Headache | 6.50 million

Chronic Tick-Borne Relapsing Fever | 12,000

Chronic Toxocariasis | 40,000

C

207 entries | part 3 of 3

Chronic Toxoplasmosis Fatigue | 40,000

Chronic Urinary Tract Infection | 33.33 million

Chronic Urticaria | 3.85 million

Chronic urticaria (Pediatric) | 200,000

Chronic Vaginitis (Non-Infectious) | 1.30 million

Chronic Venous Insufficiency | 4 million

Chronic Viral Myocarditis | 35,000

Chronic Vulvar Pain/Vulvodynia | 15 million

Chronic Vulvar Vestibulitis | 5 million

Chronic Vulvitis | 1.50 million

Chronic VZV/Varicella Syndrome | 45,000

Chronic West Nile Neurological Seq. | 10,000

Chronic Zika | 1,000

Chronic Zoonotic Encephalitis | 500

CIDP | 70,000

Cirrhosis (Adults) | 674,409

CIRS | 1.20 million

Cleft lip alone | 1,257

Cleft lip with cleft palate | 2,403

Cleft palate alone | 2,366

Clitoral Pain Syndrome | 200,000

Clubfoot | 6,507

Coarctation of the aorta | 2,144

Cogan syndrome | 50

Cold agglutinin disease | 5,399

Colorectal cancer | 1.44 million

Common truncus (truncus arteriosus) | 259

Complex regional pain syndrome | 400,000

Complex regional pain syndrome (Pediatric) | 20,000

Complex regional pain syndrome (Type I) | 280,000

Complex regional pain syndrome (Type II) | 120,000

Congenital adrenal hyperplasia | 20,507

Congenital diaphragmatic hernia | 1,220

Congenital heart defects, people living with | 2.40 million

Congenital hypothyroidism (primary) | 3,000

COPD | 18 million–30 million

Coronary heart disease (Adults) | 20.50 million

Crohn's disease | 1.51 million–2.51 million

Cryptogenic organizing pneumonia | 3,666

Cushing's syndrome | 13,671

Cutaneous Lupus Erythematosus | 155,556

Cutaneous mastocytosis | 33,330

Cystic fibrosis | 40,000

Cystinuria | 143,550–478,500

Cystitis | 1.02 million

D

23 entries

Depression (Adults) | 51.34 million

Dermatitis herpetiformis | 276,846–922,820

Dermatofibrosarcoma protuberans | 102,534–341,780

Dermatomyositis/polymyositis | 76,923

Dermatophytosis | 1.75 million

Dextro-transposition of the great arteries (d-TGA) | 961

Diabetes | 40.10 million

Diabetic macular edema | 746,000

Diabetic retinopathy | 9.60 million

Diaphragmatic hernia | 706,244

Discoid lupus erythematosus | 307,605–1.03 million

Disorders of globe | 1.11 million

Disorders of lacrimal system | 2.77 million

Disorders of lipoprotein metabolism and other lipidemias | 51.95 million

Diverticular disease of intestine | 1.18 million

Diverticulitis | 313,000

Double outlet right ventricle | 961

Dry eye disease (diagnosed) (Adults) | 16.40 million

Duchenne muscular dystrophy | 16,337

Dysautonomia | 25.40 million–35.10 million

Dysbetalipoproteinemia | 79,977–266,590

Dysgeusia (distorted taste) | 17.09 million

Dyspareunia (Chronic) | 17 million

E

31 entries

Ebstein anomaly | 296

Eczema/atopic dermatitis (Adults) | 19.99 million

Eczema/atopic dermatitis (Pediatric) | 11.14 million–18.57 million

Ehlers-Danlos (hEDS/JHS) | 60,000

Ehlers-Danlos Syndrome | 342,857

Emphysema | 1.07 million

Encephalocele | 407

End-stage kidney disease (ESKD), people living with | 783,594

Endocervical Adenocarcinoma | 20,000

Endocrine-Induced Flare Conditions in Pregnancy | 100,000

Endometrial Hyperplasia | 1.20 million

Endometriosis | 10 million

Endosalpingiosis | 200,000

Enthesopathies | 1.74 million

Eosinophilic Esophagitis | 180,000

Eosinophilic fasciitis | 3,333–6,999

Epilepsy (Adults) | 3.48 million–5.80 million

Epilepsy (Pediatric) | 700,000

Epilepsy and recurrent seizures | 1.50 million

Epiretinal membrane | 5,960

Episcleritis | 175,316

Erythema nodosum | 3,333–16,665

Erythromelalgia | 70,000

Esophageal atresia/tracheoesophageal fistula | 887

Esophageal cancer | 55,281

Essential mixed cryoglobulinemia | 50

Essential tremor | 7.01 million

Eustachian tube dysfunction | 11.01 million

Evans syndrome | 57,994–85,991

Ever diagnosed depression (Adults) | 54 million

Ewing Sarcoma | 700

F

27 entries

Facioscapulohumeral muscular dystrophy | 15,380

Familial cerebral cavernous malformation | 153,804–512,680

Familial hypercholesterolemia | 1 million

Familial isolated dilated cardiomyopathy | 179,436–598,120

Familial or sporadic hemiplegic migraine | 102,534–341,780

Fecal incontinence (Adults) | 18.88 million

Felty syndrome | 33,330

Female Genital Chronic GVHD | 15,000

Female Genital Mutilation (FGM) Complications | 800,000

Female Infertility (all causes) | 8 million

Female Reproductive Tract Tuberculosis | 10,000

Female Sexual Interest/Arousal Disorder | 3.50 million

Female Urethral Syndrome | 5 million

Female Urogenital Prolapse (advanced) | 6 million

Female-Pattern Hair Loss | 22 million

Fibroblastic disorders | 1.14 million

Fibromuscular dysplasia of coronary arteries | 276,846–922,820

Fibromyalgia | 8 million–9 million

Follicular lymphoma | 379,380–1.26 million

Follicular skin cysts | 1.34 million

Food allergy (Adults) | 17.40 million

Food allergy (Pediatric) | 7 million–9 million

Fragile X syndrome | 111,080

Friedreich ataxia | 6,836

Frontotemporal dementia (FTD) | 60,000

Fuchs endothelial corneal dystrophy | 591,226

Functional dyspepsia | 1.93 million

G

19 entries

Gallstones (cholelithiasis) | 34.18 million

Gambling disorder (severe problem gambling) (Adults) | 2.50 million

Gastric ulcer | 674,257

Gastritis and duodenitis | 1.01 million

Gastroesophageal reflux disease | 17.54 million

Gastrointestinal stromal tumor | 133,296–444,320

Gastroparesis | 10 million

Gastroschisis | 1,442

Gaucher disease | 3,418

Generalized Anxiety Disorder | 5 million

Giant Cell Arteritis | 400,000

Gilbert syndrome | 10.25 million

Gingivitis | 34.17 million

Glaucoma | 4.27 million

Glossodynia | 700,000

Gout | 3.28 million

Graves' Disease (thyroid, inf. subtype) | 1.40 million

Guillain-Barré (chronic) | 80,000

Gulf War illness (chronic multisymptom illness) | 175,000–250,000

H

40 entries

H. pylori Dysautonomia | 2.50 million–3.50 million

Hashimoto’s (CNS-impact subtype) | 1.10 million–1.30 million

Hashimoto’s Thyroiditis | 13 million

Hashimoto’s thyroiditis (Pediatric) | 150,000

Hashimoto’s, Infection-Triggered | 16 million

Heart disease (Adults) | 16.52 million

Heart failure (Adults) | 8.04 million–13.40 million

Hemifacial spasm | 112,275–374,250

Hemiplegic Migraine | 26,667

Hemorrhoids and perianal venous thrombosis | 853,808

Hepatitis C–Linked Fatigue | 900,000–1.10 million

Hepatitis delta | 410,142–1.37 million

Hereditary Angioedema | 16,667

Hereditary hemorrhagic telangiectasia | 164,058–546,860

Hidradenitis Suppurativa | 1.20 million

High blood pressure (Adults) | 87.68 million

High cholesterol (Adults) | 89.71 million

High-grade dysplasia in Barrett esophagus | 369,129–1.23 million

High-impact chronic pain (Adults) | 17.10 million

HIV Neurocognitive Disorder | 700,000

Hoarding disorder | 6.84 million

Hodgkin lymphoma | 235,110

HTLV-1 Myelopathy | 1,000

Huntington disease | 27,684–92,280

Hydrocephalus | 1 million

Hydrosalpinx (Chronic) | 300,000

Hyperaldosteronism | 280,000

Hyperandrogenism | 13.33 million

Hyperglycaemia in Pregnancy | 300,000

Hyperhidrosis | 15.30 million

Hyperinsulinemia (PCOS linked) | 5 million

Hypermobile Ehlers-Danlos syndrome | 128,169–427,230

Hypermobile Ehlers-Danlos syndrome (Pediatric) | 100,000

Hyperopia (farsightedness) | 11.80 million

Hyperparathyroidism | 200,000

Hyperprolactinemia | 200,000

Hypertension (measured or taking medication) (Adults) | 119.90 million

Hypoplastic left heart syndrome | 961

Hypotension | 841,672

Hypothyroidism (Non-Hashimoto’s) | 2.50 million

21 entries

Ichthyosis, moderate to severe (congenital) | 200

Idiopathic achalasia | 27,343

Idiopathic bronchiectasis | 297,354–991,180

Idiopathic chronic pancreatitis | 128,169–427,230

Idiopathic hypersomnia | 307,605–1.03 million

Idiopathic intracranial hypertension | 143,550–478,500

Idiopathic pulmonary fibrosis | 165,339–551,130

IgA vasculitis (Henoch-Schönlein purpura) | 4,385–25,685

IgG4-related disease | 2,666

Immune Thrombocytopenia (ITP, inf. subtype) | 90,000

Inclusion body myositis | 3,333

Infertility | 8 million

Inflammatory bowel disease | 4.11 million

Intermediate uveitis | 4,666–6,666

Interrupted aortic arch | 407

Interstitial Cystitis | 8 million

Intertrigo | 2,026

Intrahepatic Cholestasis of Pregnancy | 150,000

Iron Deficiency Anemia | 20 million

Irritable bowel syndrome | 1.34 million

Ischemic Ovarian Syndrome | 20,000

J

6 entries

Jervell and Lange-Nielsen syndrome | 547–2,051

Juvenile absence epilepsy | 34,178

Juvenile idiopathic arthritis | 600,000

Juvenile myelomonocytic leukemia | 342

Juvenile myoclonic epilepsy | 34,178–68,357

Juvenile polyposis syndrome | 3,418

K

16 entries

Kabuki syndrome | 10,595

Kallmann syndrome | 7,044

Kawasaki Disease | 70,000

Kearns-Sayre syndrome | 6,836

Keratoconus | 170,892

Keratosis pilaris | 107.9 million

Kidney and renal pelvis cancer | 734,530

Kidney and ureter stones | 2.78 million

Kindler syndrome | 342–3,076

Kleefstra syndrome | 9,494

Kleine-Levin syndrome | 342–1,709

Klinefelter syndrome | 167,816–335,633

Klippel-Trenaunay syndrome | 3,418

Knee osteoarthritis | 1.76 million

Koolen-de Vries syndrome | 21,362

Krabbe disease | 3,418

L

32 entries

Lactose malabsorption | 123.04 million

Lambert-Eaton myasthenic syndrome | 1,100

Laryngeal cancer | 87,355

Leiomyosarcoma (Uterine Sarcoma) | 15,000

Leprosy (chronic complications) | 4,000

Leukemia (all types) | 558,660

Lewy body dementia | 1 million

Lichen planopilaris | 36,148

Lichen Planus (Vulvovaginal) | 200,000

Lichen Sclerosus (vulvar/perineal) | 2 million

Lichen Simplex Chronicus | 700,000

Ligneous conjunctivitis | 50

Limb deficiencies (reduction defects) | 1,996

Limb loss | 1.60 million

Limbal stem cell deficiency | 205,071–683,570

Linear IgA dermatosis | 167–767

Lipedema | 1.20 million

Lipomatosis dolorosa (Dercum disease) | 50

Liver and intrahepatic bile duct cancer | 116,514

Loin pain hematuria syndrome | 102,534–341,780

Long COVID (PASC) | 48.50 million–64.60 million

Long QT syndrome (Romano-Ward) | 136,714

Long-term Zika | 1,000

Low bone mass (Adults) | 51.96 million–86.60 million

Lower-limb mononeuropathies | 1.19 million

LTEV (Ebola) | 50

Lung and bronchus cancer | 680,450

Lupus (SLE, infection-linked) | 2.50 million–3 million

Lupus nephritis | 69,690–71,913

Lupus vasculitis | 26,434–27,277

Lyme disease people diagnosed and treated annually | 571,200–952,000

Lymphangioleiomyomatosis (LAM) | 513

M

41 entries

Male erectile dysfunction | 1.18 million

Malignant mesothelioma | 2,669

Mammary Duct Ectasia | 80,000

Marfan syndrome | 153,804–512,680

MASH (formerly NASH) (Adults) | 4.05 million

MASLD (formerly NAFLD) (Adults) | 64.74 million

Mast Cell Activation Syndrome (MCAS) | 20 million–28 million

Mastalgia (Chronic Breast Pain) | 12 million

Mayer-Rokitansky-Küster-Hauser Syndrome | 30,000

MCAS | 6 million

ME/CFS | 27.50 million–34.65 million

Medication-Induced Dysmenorrhea | 1.50 million

Medulloblastoma | 1,100

Meibomian gland dysfunction | 72.46 million

Melanoma of skin | 1.60 million

Melasma | 3.42 million

Menopause-Related Bone Loss (Pre-Osteoporosis) | 6.50 million

Menopause-Related Cognitive Impairment | 2.50 million

Menopause-Related Mood Disorders | 2.50 million

Menopause-Related Sexual Dysfunction | 4 million

Menopause-Related Urinary Incontinence | 7 million

Menorrhagia/Heavy Menstrual Bleeding | 15 million

Menstrual Disorders (General, chronic) | 35 million

Menstrual Migraine | 8 million

Metabolic syndrome (Adults) | 94.42 million

Microscopic colitis | 343,299

Migraine (all types) | 30 million

Migraine with Aura | 13.33 million

Mixed Connective Tissue Disease (inf. subtypes) | 50,000

MOG antibody-associated disease | 5,333–11,399

Molar Pregnancy (Recurrent) | 25,000

Mooren ulcer | 50

Morphea | 1,333–8,999

Mucous membrane pemphigoid | 290

Multiple myeloma | 202,793

Multiple Sclerosis (inf. triggered) | 1.20 million

Multiple sclerosis (Pediatric) | 18,000

Myasthenia Gravis | 60,000

Myelodysplastic syndromes (MDS) | 10,000

Myotonic dystrophy type 1 (Steinert) | 42,723

Ménière's disease | 615,000

N

13 entries

Nail disorders | 2.28 million

Narcolepsy type 1 | 307,605–1.03 million

Necrotizing vasculitis | 14,999

Neovascular glaucoma | 250,188–833,960

Neuroblastoma | 2,500

Neuroendocrine tumors (NETs) | 171,321

Neurofibromatosis type 2 | 5,810

Neuromyelitis optica spectrum disorder | 1,733–14,665

Neuromyotonia | 50

Neuropsychiatric Lupus (Infectious) | 15,000

Non-Hodgkin lymphoma | 879,290

Nontoxic goiter | 1.35 million

Normal pressure hydrocephalus | 800,000

O

44 entries

Obesity (Adults) | 83.10 million

Obsessive-Compulsive Disorder | 1.80 million

Obstructive sleep apnea (Adults) | 25 million

Omphalocele | 998

Onychomycosis | 6.84 million

Opioid use disorder | 4.80 million

Opsoclonus-myoclonus syndrome | 20–30

Oral cavity and pharynx cancer | 461,008

Osteoarthritis | 33.33 million

Osteochondritis dissecans | 358,875–1.20 million

Osteogenesis imperfecta | 34,178

Osteoporosis | 12 million–15 million

Osteoporosis without current pathological fracture | 2.20 million

Osteosarcoma | 1,100

Other and unspecified dermatitis | 3.80 million

Other and unspecified hearing loss | 3.93 million

Other and unspecified polyneuropathies | 2.77 million

Other anemias | 1.51 million

Other B-vitamin deficiencies | 1.34 million

Other bladder disorders | 1.84 million

Other bone density and structure disorders | 2.58 million

Other cardiac arrhythmias | 3.36 million

Other cataract | 6.47 million

Other ear disorders | 1.05 million

Other endocrine disorders | 1.52 million

Other esophageal disorders | 879,604

Other extrapyramidal and movement disorders | 1.54 million

Other functional intestinal disorders | 2.70 million

Other gallbladder disorders | 807,841

Other hypothyroidism | 12.13 million

Other kidney and ureter disorders | 2.94 million

Other liver disorders | 1.71 million

Other nonscarring hair loss | 1.31 million

Other nutrient deficiencies | 2.15 million

Other osteoarthritis | 16.99 million

Other prostate disorders | 1.30 million

Other retinal disorders | 3.12 million

Other spondylopathies | 1.23 million

Other thyroid disorders | 3.23 million

Ovarian Cancer | 250,000

Ovarian Cysts | 30 million

Ovarian Hypofunction (Autoimmune/Chronic) | 400,000

Ovarian Remnant Syndrome | 40,000

Overactive bladder | 33 million

P

187 entries | part 1 of 3

Paget's disease of bone | 1 million

Palindromic rheumatism | 50

Pancreatic cancer | 113,931

PANDAS (Pediatric) | 35,000

Panic disorder (Adults) | 7.28 million

PANS (Pediatric) | 400,000

PANS/PANDAS | 1 million–2 million

PANS/PANDAS (Pediatric) | 120,000

Paraneoplastic cerebellar degeneration | 4,078

Parkinson disease | 704,701

Paroxysmal nocturnal hemoglobinuria | 400

PCOS | 10 million

Pediatric Acute Disseminated Encephalomyelitis (ADEM | 2,500

Pediatric Acute Rheumatic Fever | 4,000

Pediatric Allergic Rhinitis | 5 million

Pediatric Antiphospholipid Syndrome | 4,000

Pediatric ASD (immune/autonomic phenotype | 1.50 million

Pediatric Asthma | 6 million

Pediatric Asthma-Exacerbated MCAS | 150,000

Pediatric Autism (Immune/Regressive Subtype | 600,000

Pediatric Autoimmune Hemolytic Anemia | 5,000

Pediatric Autoimmune Hepatitis | 12,000

Pediatric Autoimmune Neuropsychiatric Disorders (PANDAS | 400,000

Pediatric autoimmune psychosis (infection-associated | 7,000

Pediatric Behçet's Disease | 2,500

Pediatric Brain Tumor (all types | 20,000

Pediatric Celiac Disease | 180,000

Pediatric Central Sensitization Syndrome | 35,000

Pediatric Chronic Abdominal Migraine | 200,000

Pediatric Chronic Asthma, Pollution/Environmental-Linked | 1.50 million

Pediatric Chronic Babesiosis | 3,500

Pediatric Chronic Constipation (functional/terrain | 3 million

Pediatric Chronic Daily Headache (not migraine | 250,000

Pediatric Chronic EBV/Mononucleosis | 150,000

Pediatric Chronic Immune Thrombocytopenia | 20,000

Pediatric Chronic Inflammatory Response Syndrome (CIRS, Mold | 20,000

Pediatric Chronic Myeloid Leukemia | 500

Pediatric CIRS (Mold-Triggered | 120,000

Pediatric Congenital CMV Sequelae | 25,000

Pediatric Crohn's Disease | 120,000

Pediatric current asthma under 18 | 5.76 million–9.61 million

Pediatric Cystic Fibrosis | 40,000

Pediatric Dermatomyositis/Polymyositis | 11,000

Pediatric Dysautonomia (Non-POTS | 180,000

Pediatric Environmental MCAS (air quality-linked | 30,000

Pediatric Eosinophilic Esophagitis (EoE) | 120,000

Pediatric Epileptic Encephalopathy | 18,000

Pediatric Evans Syndrome | 1,500

Pediatric Fibromyalgia | 180,000

Pediatric Graves' Disease | 25,000

Pediatric Growth Hormone Deficiency | 10,000

Pediatric Guillain-Barré Syndrome | 4,000

Pediatric Hepatoblastoma (Liver Cancer | 350

Pediatric Hyperinsulinemia (terrain-linked, pre-diabetes/PCOS | 120,000

Pediatric IgA Nephropathy | 20,000

Pediatric Inflammatory Bowel Disease (IBD: Crohn's, UC | 110,000

Pediatric Joint Hypermobility Syndrome (JHS | 200,000

Pediatric Kawasaki Disease (MIS-C | 12,000

Pediatric Kawasaki Disease/Post-COVID | 20,000

Pediatric Kawasaki-like Syndrome (MIS-C, COVID-era | 15,000

Pediatric Lymphoma (Hodgkin, Non-Hodgkin | 6,000

Pediatric MCAS | 60,000

Pediatric Migraine with Aura | 2.50 million

Pediatric Multiple Chemical Sensitivity (MCS | 15,000

Pediatric Musculoskeletal Pain, Chronic | 7 million

Pediatric Myasthenia Gravis | 2,000

Pediatric Myofascial Pain Syndrome | 40,000

Pediatric Neurofibromatosis (NF1/NF2 | 40,000

Pediatric Neuropathic Pain | 500,000

Pediatric Pancreatitis (terrain-linked, non-hereditary | 15,000

Pediatric PFAPA Syndrome | 25,000

Pediatric PFAS/Pesticide-Linked Immune Suppression | 5,000

Pediatric Post-Infectious Vasculitis | 2,000

Pediatric Post-Meningitis Fatigue/Sequelae | 18,000

P

187 entries | part 2 of 3

Pediatric Post-Sepsis Syndrome | 60,000

Pediatric Post-Streptococcal Glomerulonephritis | 3,000

Pediatric Primary Immunodeficiency | 140,000

Pediatric Psoriasis (autoimmune | 150,000

Pediatric Rare Sarcomas | 650

Pediatric Scleroderma/Morphea | 7,000

Pediatric Sickle Cell Disease | 200,000

Pediatric Sjögren's Syndrome | 3,000

Pediatric Small Fiber Neuropathy | 35,000

Pediatric Sydenham's Chorea (post-strep | 2,000

Pediatric Tension-Type Headache | 3.50 million

Pediatric Trigeminal Neuralgia | 2,000

Pediatric Type 2 Diabetes (post-infectious/obesity | 50,000

Pediatric Ulcerative Colitis | 90,000

Pediatric Vasculitis (all types | 30,000

Pelvic Abscess (chronic sequelae) | 70,000

Pelvic Adhesion Syndrome | 6 million

Pelvic Congestion Syndrome | 8 million

Pelvic Floor Dysfunction | 12 million

Pelvic Girdle Pain (Chronic/Postpartum) | 2 million

Pelvic Inflammatory Disease (PID) | 2 million

Pelvic Organ Prolapse (all types) | 10 million

Pemphigoid gestationis | 100

Pemphigus (all forms) | 16,332–17,998

Pemphigus vulgaris | 184,563–615,210

Pemphigus/Pemphigoid | 35,000

Perimenopause & Menopausal Symptoms | 38 million

Perimenstrual Asthma | 1.40 million

Perinatal Anxiety Disorder | 700,000

Periodontitis | 64.70 million

Peripartum Cardiomyopathy | 60,000

Peripheral arterial disease | 6.50 million

Permanent hearing loss in newborns (deaf or hard of hearing) | 6,272

Persistent Ectopic Endometrial Tissue (Deep Infiltrating Endometriosis) | 2 million

Persistent Genital Arousal Disorder | 2 million

Persistent Ovarian Cysts | 35 million

Photosensitive occipital lobe epilepsy | 307,605–1.03 million

PID Sequelae (Chronic Pelvic Pain, Infertility) | 3 million

Pityriasis versicolor | 2,022

Placenta Previa (Chronic Complications) | 120,000

Placental Abruption (Chronic Sequelae) | 70,000

PMDD | 3 million

PMNS | 500

POEMS syndrome | 1,000

Polyarteritis nodosa | 533

Polycystic Ovary Syndrome (PCOS, BIPOC) | 12 million

Polycythemia vera | 307,605–1.03 million

Polyglandular autoimmune syndrome type 2 | 50

Polyglandular autoimmune syndrome type 3 | 50

Polyglandular autoimmune syndrome type 4 | 50

Polymyalgia Rheumatica | 1.43 million

Post-Chronic Norovirus | 1,000

Post-concussion syndrome (Pediatric) | 100,000

Post-COVID Autoimmune Encephalitis | 10,000

Post-dengue Chronic Arthralgia | 4,000

Post-infectious Celiac Disease | 200,000

Post-Infectious Eosinophilic Esophagitis | 10,000

Post-infectious glomerulonephritis | 8,000

Post-infectious IBS | 5 million

Post-infectious Migraine/Headache | 800,000

Post-infectious Optic Neuritis | 7,000

Post-infectious Reactive Arthritis | 15,000

Post-Infectious Small Fiber Neuropathy | 50,000

Post-infectious Uveitis | 5,000

Post-Influenza Syndrome | 1 million

Post-Leptospiral Fatigue Syndrome | 7,000

Post-MERS Syndrome | 500

Post-Polio Syndrome | 350,000

Post-SARS Syndrome | 500

Post-Sepsis Syndrome (PSS) | 4 million–6 million

Post-transplant lymphoproliferative disease | 268,644–895,480

Post-treatment Lyme disease syndrome | 5 million–7 million

Post-treatment Lyme disease syndrome (Pediatric) | 45,000

Post-Tubal Sterilization Syndrome | 150,000

Post-viral Bell's Palsy | 90,000

Post-viral Transverse Myelitis | 9,000

Post-viral Vestibular Neuritis | 8,000

Post-West Nile Syndrome | 10,000

Postmyocardial infarction syndrome (Dressler syndrome) | 89,000

P

187 entries | part 3 of 3

Postpartum Hemorrhage (Chronic Sequelae) | 300,000

Postpartum Preeclampsia | 130,000

Postpartum Psychosis | 70,000

POTS | 14 million–18 million

Pouchitis | 225,579–751,930

Prediabetes (Adults) | 138.24 million–230.40 million

Premature Menopause (spontaneous) | 2 million

Premenstrual Exacerbation of Comorbidities | 10 million

Premenstrual Migraine (chronic) | 9 million

Premenstrual Syndrome (PMS) | 16 million

Presbyopia | 139 million

Primary Biliary Cholangitis (inf.-triggered) | 100,000

Primary idiopathic dilated cardiomyopathy | 121,655

Primary membranoproliferative glomerulonephritis | 164,058–546,860

Primary myelofibrosis | 10,254

Primary ovarian insufficiency | 2 million

Primary Sclerosing Cholangitis (inf.-triggered) | 45,000

Primary systemic amyloidosis | 307,605–1.03 million

Progressive hemifacial atrophy (Parry-Romberg syndrome) | 476

Progressive supranuclear palsy | 53,934–179,780

Prolactinoma | 519,855–1.73 million

Prolapse (total, all sites) | 7 million

Prostate cancer | 3.55 million

Prurigo nodularis | 170,803

Pseudotumor Cerebri | 133,333

Psoriasis | 9.06 million–15.10 million

Psoriatic Arthritis (infection-linked) | 1.50 million

Psoriatic arthritis (self-reported subtype) (Adults) | 1.20 million–2 million

PTSD | 10 million

Pulmonary Arterial Hypertension | 53,333

Pulmonary valve atresia | 444

Pulmonary valve atresia and stenosis | 4,178

Pure red cell aplasia | 353

Pyoderma gangrenosum | 18,665–20,331

Q

6 entries

Qazi-Markouizos syndrome | 3 reported cases

QRICH1-related syndrome | 46 reported cases

Quadricuspid aortic valve | 44,432–146,967

Quadriplegia | 184,246

Quadruple X syndrome | 40 reported cases

Quebec platelet disorder | 522

R

22 entries

Radiation proctitis | 358,875–1.20 million

Rasmussen encephalitis | 174

Raynaud's Phenomenon | 13.33 million

Reactive arthritis (all causes) | 260,307–353,965

Rectal and large intestinal atresia/stenosis | 1,775

Recurrent aphthous stomatitis | 53.95 million

Recurrent Bacterial Vaginosis | 32 million

Recurrent Cystitis | 6.67 million

Recurrent Pregnancy Loss | 2.50 million

Relapsing Polychondritis (inf.-triggered) | 7,000

Restless legs syndrome | 13.33 million–96.66 million

Retinal detachments and breaks | 664,088

Retinal vein occlusion | 577,294

Retinitis pigmentosa | 273,771–912,570

Retinoblastoma | 900

Retinopathy of prematurity | 14,000

Rhabdomyosarcoma | 1,200

Rheumatic Fever | 10,000

Rheumatoid Arthritis (infection-linked) | 2.10 million

Rheumatoid arthritis (self-reported subtype) (Adults) | 12.72 million–21.20 million

Rickettsial Fatigue | 30,000–40,000

Rosacea | 5.83 million

S

46 entries

Sarcoidosis (autoimmune, inf.-linked) | 250,000

Scarring after glaucoma filtration surgery | 225,579–751,930

Schizophrenia | 631,077

Schnitzler syndrome | 300

Scleritis | 17,332

Scleroderma (infection-linked) | 300,000–400,000

Scoliosis | 1.16 million

Seasonal allergy (Adults) | 65.43 million

Seasonal allergy (Pediatric) | 18.07 million–30.12 million

Seborrheic dermatitis | 20.03 million

Secondary hypoparathyroidism due to impaired PTH secretion | 253,776–845,920

Shoulder lesions | 1.04 million

Sialolithiasis | 1.54 million

Sickle cell disease | 120,000–200,000

Sickle Cell Trait/Syndrome | 220,000

Single ventricle | 259

Sjögren's (inf. onset) | 2.80 million

Sjögren's Syndrome | 3.89 million

Sleep Apnea | 22.86 million

Sleep disorders, unspecified class | 15.76 million

Small cell lung cancer | 123,042–410,140

Small Fiber Neuropathy | 6.50 million–8.50 million

Small intestine cancer | 93,952

Social Anxiety Disorder | 4 million

Soft tissue cancer (including heart) | 181,366

Specific phobia (Adults) | 23.47 million

Spina bifida (without anencephaly) | 1,294

Spinal cord injury (traumatic), people living with | 305,000

Stargardt disease | 133,296–444,320

Steroid-responsive encephalopathy associated with autoimmune thyroiditis | 6,999

Stiff-person syndrome | 333

Stomach cancer | 150,727

Strabismus | 13.67 million

Stress-related and adjustment disorders | 6.94 million

Stroke | 8.64 million

Strongyloidiasis (chronic) | 1,000

Stuttering | 3 million

Susac syndrome | 50

Sympathetic uveitis | 100

Synovitis and tenosynovitis | 557,817

Syphilis (Neurophase) | 150,000–200,000

Syringomyelia | 141,420

Systemic lupus erythematosus | 1.56 million

Systemic lupus erythematosus (Pediatric) | 18,000

Systemic mastocytosis | 17,089

Systemic sclerosis (scleroderma) | 162,500

T

32 entries

Takayasu arteritis | 182,448–287,838

Temporomandibular Joint Disorder | 3.50 million

Tenosynovial giant cell tumor | 205,071–683,570

Testicular cancer | 317,930

Testicular dysfunction | 930,195

Tetralogy of Fallot | 1,812

Thoracic and lumbar disc disorders | 3.29 million

Thyroid cancer | 725,908

Thyroid hemiagenesis | 256,338–854,460

Thyroid nodules (Adults) | 13.49 million

Thyroiditis, all forms | 1.81 million

Thyrotoxicosis and hyperthyroidism | 1.82 million

Tinnitus (Adults) | 25 million

Tolosa-Hunt syndrome | 300

Total anomalous pulmonary venous connection | 555

Transient ischemic attacks | 3.37 million

Transposition of the great arteries | 1,146

Transverse Myelitis | 83,333

Traumatic brain injury-related disability | 3.20 million–5.30 million

Tricuspid valve atresia | 296

Tricuspid valve atresia and stenosis | 665

Trigeminal Neuralgia | 180,000

Trisomy 13 | 555

Trisomy 18 | 1,183

Trisomy 21 (Down syndrome) | 5,952

Tropical Spastic Paraparesis | 500

Tubal Factor Infertility | 2.50 million

Tuberous sclerosis complex | 41,014

Turner Syndrome | 80,000

Type 1 diabetes | 1.80 million

Type 1 diabetes (Pediatric) | 325,000

Type 2 diabetes mellitus | 28.81 million

U

21 entries

Ulcerative colitis | 3.78 million–6.30 million

Undifferentiated Connective Tissue Disease | 250,000

Unifocal sporadic venous malformation | 307,605–1.03 million

Unruptured brain aneurysm | 6.80 million

Unspecified chronic bronchitis | 1.54 million

Unspecified dementia | 928,744

Unspecified kidney failure | 1.18 million

Unspecified mood disorders | 706,919

Unspecified-valve endocarditis | 1.10 million

Upper-limb mononeuropathies | 1.73 million

Uremic pruritus | 358,875–1.20 million

Urethral Syndrome | 8.33 million

Urinary Tract Infections (chronic/recurrent) | 10 million

Urticarial vasculitis | 53,328–719,928

Uterine (Endometrial) Cancer | 1 million

Uterine Arteriovenous Malformation | 15,000

Uterine Fibroids (Leiomyoma) | 35 million

Uterine Prolapse (POP) | 35 million–40 million

Uterine Rupture (Chronic Sequelae) | 70,000

Uterine Septum/Anomaly-Linked Infertility | 200,000

Uterine Synechiae/Asherman Syndrome | 150,000

V

21 entries

Vaginal Atrophy (Non-Menopausal) | 700,000

Vaginal Cancer | 55,000

Vaginal Dysplasia (VAIN) | 350,000

Vaginal Fistula | 75,000

Vaginal Septum | 150,000

Vasculitis (general, inf.-associated) | 200,000

Vernal keratoconjunctivitis | 8,931

Vestibular migraine | 7.28 million

Vision-threatening diabetic retinopathy | 1.84 million

Vitamin D deficiency | 4.62 million

Vitiligo | 2 million

Vocal cord nodules | 1,487

Vogt-Koyanagi-Harada disease | 500–2,000

Voice disorders (Adults) | 29.90 million

Von Willebrand disease | 102,534–341,780

Vulvar Cancer | 80,000

Vulvar Dysplasia | 200,000

Vulvar Intraepithelial Neoplasia (VIN 1) | 250,000

Vulvar Lichen Planus | 300,000

Vulvar Vestibulitis Syndrome | 2.50 million

Vulvovaginal Lichen Sclerosus | 2 million

W

17 entries

Waardenburg syndrome | 8,545

WAGR syndrome | 342–684

Weill-Marchesani syndrome | 3,418

Werner syndrome | 1,709

West Nile virus sequelae | 20,000–30,000

West syndrome | 20,507

Wiedemann-Steiner syndrome | 8,545–13,671

Wild-type ATTR amyloidosis | 102,535

Wild-type beta-2-microglobulin amyloidosis | 15,380

Williams syndrome | 18,988–45,571

Wilms tumor | 1,600

Wilson disease | 11,279

Wiskott-Aldrich syndrome | 550

Wolcott-Rallison syndrome | 60 reported cases

Wolff-Parkinson-White syndrome | 341,785

Wolfram syndrome | 684

Worster-Drought syndrome | 12,646

X

15 entries

X-linked adrenal hypoplasia congenita | 27,343

X-linked adrenoleukodystrophy | 22,786

X-linked agammaglobulinemia | 752

X-linked centronuclear myopathy | 684

X-linked Charcot-Marie-Tooth disease | 5,469

X-linked Charcot-Marie-Tooth disease Type 3 | 342

X-linked Charcot-Marie-Tooth disease Type 4 | 34

X-linked Charcot-Marie-Tooth disease Type 6 | 17

X-linked Emery-Dreifuss muscular dystrophy | 444–684

X-linked hypohidrotic ectodermal dysplasia | 9,570

X-linked hypophosphatemia | 7,272–17,089

X-linked ichthyosis | 27,969–83,908

X-linked lymphoproliferative disease | 171

X-linked retinoschisis | 6,713–33,563

Xeroderma pigmentosum | 342

Y

7 entries

Y-chromosome microdeletion syndrome | 67,126

Yao syndrome | 3,418–34,178

Yellow nail syndrome | 171

Yemenite deaf-blind hypopigmentation syndrome | 2 reported cases

Yorifuji-Okuno syndrome | 3 reported cases

Young-onset Parkinson disease | 153,804–512,680

Yunis-Varon syndrome | 40 reported cases

Z

4 entries

Zebra body myopathy | 3 reported cases

Zellweger spectrum disorder | 6,836

Zimmermann-Laband syndrome | 50 reported cases

Zollinger-Ellison syndrome | 3,418–30,761